

WAVEPOINT  
GROUP



# SMART Collar and Cuff Press

Vertical collar and cuff press available in both steam or electric versions



All products shown may vary due to various options available.

Technical data	SMART	SMART ELECTRIC
Required power	230V/1/50-60Hz	230V/1/50-60Hz
Steam inlet	1/2 "	-
Return outlet	1/2 "	-
Air supply	1/4 "	1/4 "
Vacuum exhaust pipe	ø100 mm	ø100 mm
Steam working pressure	5 ÷ 7 bar (72 ÷ 100 psi)	-
Air working pressure	7 bar ÷ 100 psi	7 bar - 100 psi
Steam consumption	8 ÷ 10 kg/h • 18 ÷ 22 Lbs/hr	-
Air consumption	24 NI/ciclo • 0,84 ft3/ciclo	24 NI/ciclo • 0,84 ft3/ciclo
Upper buck heating element	-	0,5 + 1,2 + 0,5 kW • 0,67 + 1,6 + 0,67 hp
Lower buck heating element	-	0,2 + 0,4 + 0,2 kW • 0,27 + 0,54 + 0,27 hp
Vacuum motor	0,37 kW • 0,5 hp	0,37 kW • 0,5 hp
Installed power	0,4 kW • 0,5 hp	3 kW • 4 hp
Net weight	200 kg • 440 Lbs	200 kg • 440 Lbs
Gross weight pallet	210 Kg • 463 Lbs	210 Kg • 463 Lbs
Gross weight (indupack)	230 Kg • 507 Lbs	230 Kg • 507 Lbs
Packing dimensions	117 x 77 x 160 cm • 46 x 30,5 x 63 in	117 x 77 x 160 cm • 46 x 30,5 x 63 in
Volume	1,44 m3 • 51 ft3	1,44 m3 • 51 ft3

\*other voltages by request.

For manufacturing necessities the above-mentioned specifications are not binding.



## SMART Collar and Cuff Press

### SMART/SMART ELECTRIC

Small-sized vertical press, with Teflon-coated upper head, lower buck with vacuum and Nomex® cover, available in an electric version, with both bucks electrically heated, and with both bucks steam-heated. Twin-button head closing system with safety devices.

Productivity: up to 80 shirts per hour.

+44 (020) 8579 2661

mail@wavepointgroup.co.uk

www.wavepointgroup.co.uk